

Gluteus Medius - Rehabilitation Protocol

** Please provide patient with home exercise program

Weeks 1-4: Home

- FFWB with crutches/walker
- Alternate positions
- Hip Isometrics
- Quad sets
- Glute sets
- Core sets
- DVT prevention
- Ankle pumps
- Leg elevation

Weeks 4-6

- Initiate PT at week 4 (for arthroscopic/endoscopic glute med repair)
- Initiate PT at week 6 for open glute med repair
- Gait training PWB with assistive device
- 20 pounds through 4-6 weeks, progress between 4-6 weeks or 6-8 weeks
- Doctor Chahla or PA will provide timeframe with which to advance.
- Progress with passive hip flexion greater than 90 degrees
- Other hip passive ROM
- No aggressive abduction or ER
- Isometrics
- quad sets, glute sets, core isometrics
- Supine bridges
- Isotonic adduction
- Progress core strengthening (avoid hip flexor tendonitis)
- Progress with hip strengthening
- Start isometric sub max pain free hip flexion (3-4 wks)
- Quadriceps strengthening
- Aqua therapy in low end of water (if incisions healed)

Weeks 6-8

- Continue with previous therapy
- Gait training: increase WBing to 100% by 8 weeks with crutches for some
- Progress with ROM

Scott Adrian M.D
2778 N Webb Rd.
Wichita, KS 67226

Phone: 316-631-1600 ext. 1209
Fax: 316-631-1671



- Passive hip ER/IR
- Supine log rolling Stool rotation Standing on BAPS
- Lateral and inferior with rotation
- Prone posterior-anterior glides with rotation
- Progress core strengthening (avoid hip flexor tendonitis)

Weeks 8-10

- Continue previous therapy
- Progressive hip RO
- Progress strengthening LE
- No open chain strengthening required
- Hip isometrics for abduction and progress to isotonics
- Leg press (bilateral LE)
- Isokinetics: knee flexion/extension
- Progress core strengthening
- Begin proprioception/balance
- Balance board and single leg stance
- Bilateral cable column rotations
- Elliptical

Weeks 10-12

- Progressive hip ROM
- Progressive LE and core strengthening
- Hip PREs and hip machine
- Unilateral Leg press
- Unilateral cable column rotations
- Hip Hiking
- Step downs
- Hip flexor, glute/piriformis, and It-band Stretching – manual and self
- Progress balance and proprioception
- Bilateral → Unilateral → foam → dynadisc
- Treadmill side stepping from level surface holding on progressing to inclines
- Side stepping with theraband

>12 weeks

- Progressive hip ROM and stretching
- Progressive LE and core strengthening

Scott Adrian M.D
2778 N Webb Rd.
Wichita, KS 67226

Phone: 316-631-1600 ext. 1209
Fax: 316-631-1671



- Endurance activities around the hip
- Advance walking, biking, elliptical tolerance
- Dynamic balance activities
- Patient may wean from PT once achieving goals on own and can be educated on HEP

Other modalities

- Electric Stimulation Ultrasound Heat before/after Ice before/after
- Dry needling Blood flow restriction therapy
- Avoid - Deep tissue massage to site of repair (greater trochanter)