Scott Adrian, M.D.

Advanced Orthopaedic Associates

2778 N. Webb Rd. Wichita, KS 67226

316-631-1600 Fax: (316) 631-1671 1 (800) 362-0591



MCL PROTOCOL

IMMEDIATE POST INJURY PHASE

EMERGENCY MANAGEMENT INCLUDES:

- A. Protection
 - 1. Protected ambulation PWB to WBAT
 - 2. Bracing
 - a. Grades I & II as ordered by physician, full ROM allowed
 - 1) bilateral upright hinge
 - 2) DonJoy (IROM)
 - 3) Playmaker
 - b. Grades II & III rehab brace with ROM limited - 10° to 75°
- B. Ice
- C. Compression
- D. Elevation
- E. Accurate diagnosis is crucial to rule out associated injury, which may alter treatment plan

EARLY POST INJURY PHASE

- A. Continue bracing as described above
- B. Continued protected ambulation PWB to WBAT
- C. Exercise
 - 1. Grades I & II
 - a. Patellar glides & tilts
 - b. Active ROM to be performed within pain free limits
 - c. ROM in swimming pool/whirlpool
 - d. Isometrics for quad, hams including both PNF and spectrum
 - e. Bike with low seat & low resistance for ROM
 - f. Hamstring/calf stretching in a NWB position
 - g. Resisted hip exercise with weights proximal for abduction and adduction
 - h. Resisted ankle exercise utilizing Theraband or rubber tubing for resistance
 - i. Resisted exercise for upper body and non-involved leg to maintain strength conditioning
 - 2. Grade III
 - a. Patellar glides and tilts
 - b. AROM 15° to 75° for 4 weeks, then full ROM afterwards
 - c. Isometrics for quads and hams, including PNFs

- d. Resisted hip exercise with weights proximal for abduction and adduction
- e. Resisted ankle exercises
- f. Resisted exercises for non-involved leg and upper body-include single leg biking (noninvolved)
- D. Modalities (prn)
 - 1. Whirlpool
 - 2. Ice (post exercise)
 - 3. Electrical stim for pain and swelling control and/or muscle re-education/strengthening
 - 4. Biofeedback to improve quad control

INTERMEDIATE POST INJURY PHASE BEGIN ONCE FULL ROM IS ACHIEVED - GENERALLY 3-6 WEEKS POST INJURY

- A. Grades I, II, & III
 - 1. Eliminate brace for ADL
 - 2. Progress to full weightbearing without assistive devices increasing distance as tolerated
 - 3. Exercises
 - a. Bike with seat High and low resistance progress from 5-7 minutes initially to 15-30 minutes
 - b. Flexibility exercises as determined by assessment of patient
 - 1) hams
 - 2) calf
 - 3) quad
 - 4) hip flexors/TFL
 - c. Physiologic knee extension (0 $^{\circ}$ 45 $^{\circ}$)
 - 1) leg press
 - (a) supine with sports cord
 - (b) leg press machine
 - 2) mini squats
 - (a) standing isometrics
 - (b) bilateral mini squats
 - (c) unilateral mini squats
 - (d) standing sports cords
 - (e) mini squats with free weights
 - d. Resisted knee flexion
 - e. Resisted hip/ankle exercises
 - f. Proprioception activities
 - 1) Single leg support on solid base of support to progressively unstable surfaces (floor to mini tramp)
 - 2) BAPS board
 - 3) Profitter
 - g. Swimming
 - 1) free style (no breast-stroke)
 - 2) functional activities

RETURN TO SPORT

- A. Continue with previous activities to increase flexibility, strength, and muscular and cardiovascular endurance. Emphasis is on reconditioning for return to sport.
- B. Continue proprioceptive activity progressing as tolerated
- C. Begin functional strengthening program sport-specific modified plyometrics program
 - 1. Slow speed to high speed
 - 2. Bilateral to unilateral support
 - 3. Low to moderate heights
 - 4. Soft to hard surfaces

D. Functional activities progression

- 1. Walk/jog (flat track) start at one-half mile, walk curves and jog straightaway progress to 2 miles
- 2. Straight jogging (flat track) start at one-quarter mile progress to 2 miles
- 3. Three-quarter speed running (flat track) start with 20 yard sprints, doing 4-10 reps
- 4. Full speed sprinting 20 yard sprints, doing 4-10 reps
- 5. Backward jogging 20 yard jog, doing 4-10 reps
- 6. Backward three-quarter speed running 20 yard run, doing 4-10 reps
- 7. Backward sprint 20 yard sprint, doing 4-10 reps
- 8. Lateral slides (defensive drills) one-half to three-quarter to full speed
- 9. Zigzags one-half speed (soft cuts) 5 yard increments for 20 yards, progress 2-5 times
- 10. Zigzags three-quarter speed (soft cuts) 5 yard increments for 20 yards, progress 2-5 times
- 11. Zigzags full speed (soft cuts) 5 yard increments for 20 yards, progress 2-5 times
- 12. Linebacker drills one-half, three-quarter and full speed, backward-forward-side-to-side in 10 yard increments, progress 2-5 times
- 13. Backward zigzags one-half, three-quarter and full speed, 10 yard increments, progress 2-5 times
- 14. Figure eight's one-half, three-quarter and full speed progress from large circles to smaller circles then to faster speeds, progress from 5-10 times

E. Criteria for return to sport:

- 1. No signs of active inflammation
- 2. Full ROM and normal flexibility
- 3. Isokinetic testing bilateral comparison of peak torque and work within 85% of non-involved limb and ham to quad ratio of 65%
- 4. Functional tests
 - a. Vertical jump
 - 1) bilateral
 - 2) unilateral comparison
 - b. Standing broad jump
 - 1) bilateral
 - 2) unilateral comparison
- 5. Completion of functional progression leading to full participation in sport

F. Protective bracing as ordered by physician

- 1. Lateral knee guards
- 2. Functional knee braces

MAINTENANCE CONTINUE FLEXIBILITY AND STRENGTH TRAINING